

SAFETY DATA SHEET

## Hardwax Oil ROLL-ON

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name

Hardwax Oil ROLL-ON

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Oil for treatment of wooden floors

Uses advised against

None known.

#### 1.3. Details of the supplier of the safety data sheet

Company and address

**Arboritec**

Olof Wijksväg 9

SE-444 65 Jörlanda

Sweden

E-mail

info@arboritec.com

Revision

24/09/2024

SDS Version

1.0

#### 1.4. Emergency telephone number

In urgent situations: Call 112 and request the poison information centre. (24h service)

In less severe situations: Call 010-456 6700 (24h service)

See also section 4 "First aid measures".

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

STOT SE 3; H336, May cause drowsiness or dizziness.

#### 2.2. Label elements

Hazard pictogram(s)



Signal word

Warning

Hazard statement(s)

May cause drowsiness or dizziness. (H336)

Precautionary statement(s)

General

-

Prevention

Avoid breathing mist/vapour. (P261)

**Response**

Call a POISON CENTER/doctor if you feel unwell. (P312)

**Storage**

Store in a well-ventilated place. Keep container tightly closed. (P403+P233)

**Disposal**

Dispose of contents/container in accordance with local regulation (P501)

**Hazardous substances**

Hydrotreated heavy naphtha (petroleum)

**Additional labelling**

EUH066, Repeated exposure may cause skin dryness or cracking.

**2.3. Other hazards**

**Additional warnings**

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

**SECTION 3: Composition/information on ingredients**

**3.1. Substances**

Not applicable. This product is a mixture.

**3.2. Mixtures**

Product/substance	Identifiers	% w/w	Classification	Note
Naphtha (petroleum), hydrotreated heavy;Low boiling point hydrogen treated naphtha;[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C6 through C13 and boiling in the range of approximately 65°C to 230°C (149°F to 446°F).]	CAS No.: 64742-48-9 EC No.: 265-150-3 REACH: 01-2119486659-16-XXXX Index No.: 649-327-00-6	25-40%	Asp. Tox. 1, H304	[19]
Hydrotreated heavy naphtha (petroleum)	CAS No.: 64742-48-9 EC No.: 265-150-3 REACH: Index No.:	25-40%	EUH066 Asp. Tox. 1, H304 STOT SE 3, H336	[19]
1-Methoxy-2-propanol	CAS No.: 107-98-2 EC No.: 203-539-1 REACH:	<0.25%	Flam. Liq. 3, H226 STOT SE 3, H336	[1]

Index No.: 603-064-00-3

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

[1] European occupational exposure limit.

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### Skin contact

IF ON SKIN: Wash with plenty of water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

#### Eye contact

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

#### Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

#### Burns

Not applicable.

### 4.2. Most important symptoms and effects, both acute and delayed

None known.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### Information to medics

Bring this safety data sheet or the label from this product.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas.  
 Avoid inhalation of vapours from spilled material.  
 Contaminated areas may be slippery.

### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.  
 Keep unauthorized persons away from the spill

### 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.  
 Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.  
 See section 8 "Exposure controls/personal protection" for protective measures.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.  
 See section 8 "Exposure controls/personal protection" for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

#### Recommended storage material

Always store in containers of the same material as the original container.

#### Storage conditions

#### Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

1-Methoxy-2-propanol

Short term exposure limit (15 minutes) (ppm): 150

Short term exposure limit (15 minutes) (mg/m<sup>3</sup>): 568

Long term exposure limit (8 hours) (ppm): 50

Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 190

Annotations:

H = The substance is easily absorbed through the skin.

Occupational exposure limits (AFS 2018:1) and later amendment AFS 2020:6 and AFS 2021:3.

#### DNEL

No data available.

#### PNEC

No data available.

## 8.2. Exposure controls

Apply general control to prevent unnecessary exposure

### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

### Exposure scenarios

There are no exposure scenarios implemented for this product.

### Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

### Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of vapours.

### Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

### Measures to avoid environmental exposure


No specific requirements.

## Individual protection measures, such as personal protective equipment


### Generally

Use only CE marked protective equipment.


### Respiratory Equipment

Work situation	Type	Class	Colour	Standards	
In case of inadequate ventilation	Combination Filter A1B1E1K1	Class 1 (low capacity)	Brown/Gray/Yellow/Green	EN14387	


### Skin protection

Recommended	Type/Category	Standards	
Dedicated work clothing should be worn.	-	-	

### Hand protection

Work situation	Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
In the event of prolonged exposure or high concentrations	Nitrile	0.1	-	EN374-2	

### Eye protection

Work situation	Type	Standards	
When there is risk of splash- / intermittent exposure	Safety glasses with side shields.	EN166	

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Physical state

Liquid

#### Colour

No relevant or available data due to the nature of the product.

#### Odour / Odour threshold

Solvent

#### pH

No relevant or available data due to the nature of the product.

#### Density (g/cm<sup>3</sup>)

-

#### Relative density

0,8 g/ml (23 °C)

#### Kinematic viscosity

> 20,5 mm<sup>2</sup>/s

#### Particle characteristics

Does not apply to liquids.

#### Phase changes

##### Melting point/Freezing point (°C)

No relevant or available data due to the nature of the product.

##### Softening point/range (°C)

Does not apply to liquids.

##### Boiling point (°C)

No relevant or available data due to the nature of the product.

##### Vapour pressure

No relevant or available data due to the nature of the product.

##### Relative vapour density

No relevant or available data due to the nature of the product.

##### Decomposition temperature (°C)

No relevant or available data due to the nature of the product.

#### Data on fire and explosion hazards

##### Flash point (°C)

62 °C

##### Flammability (°C)

No relevant or available data due to the nature of the product.

##### Auto-ignition temperature (°C)

No relevant or available data due to the nature of the product.

##### Lower and upper explosion limit (% v/v)

No relevant or available data due to the nature of the product.

#### Solubility

##### Solubility in water

No relevant or available data due to the nature of the product.

##### n-octanol/water coefficient (LogKow)

No relevant or available data due to the nature of the product.

##### Solubility in fat (g/L)

No relevant or available data due to the nature of the product.

#### 9.2. Other information

##### VOC (g/L)

520 g/l

##### Other physical and chemical parameters

No data available.

##### Oxidizing properties

Ej lämplig

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

### 10.3. Possibility of hazardous reactions

None known.

### 10.4. Conditions to avoid

Do not expose to any forms of heat (e.g. solar radiation). May lead to excess pressure.

### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Product/substance	Hydrotreated heavy naphtha (petroleum)
Species:	Rat
Test:	LD50
Result:	> 2000 mg/kg

Product/substance	Hydrotreated heavy naphtha (petroleum)
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50
Result:	> 2800 mg/m <sup>3</sup>

Product/substance	Hydrotreated heavy naphtha (petroleum)
Species:	Rat
Route of exposure:	Dermal
Test:	LD50
Result:	> 2000 mg/kg

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation

Based on available data, the classification criteria are not met.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause drowsiness or dizziness.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

#### Long term effects

None known.

#### Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

#### Other information

None known.

## SECTION 12: Ecological information

### 12.1. Toxicity

Product/substance	Hydrotreated heavy naphtha (petroleum)
Test method:	LC50
Species:	Fish, <i>Oncorhynchus mykiss</i>
Duration:	No data available.
Result:	> 100 mg/l

Product/substance	Hydrotreated heavy naphtha (petroleum)
Species:	Algae
Duration:	No data available.
Result:	> 100 mg/l

Product/substance	Hydrotreated heavy naphtha (petroleum)
Test method:	EC50
Species:	Crustacean, Crustacea amphipods
Duration:	No data available.
Result:	> 100 mg/l

### 12.2. Persistence and degradability

Based on available data, the classification criteria are not met.

### 12.3. Bioaccumulative potential

Product/substance	Hydrotreated heavy naphtha (petroleum)
BCF:	112 - 159
Conclusion:	-

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

### 12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

### 12.7. Other adverse effects



None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product is not covered by regulations on dangerous waste.

Dispose of contents/container to an approved waste disposal plant.

Waste regulation (SFS 2020:614).

#### EWC code

08 01 11\* Waste paint and varnish containing organic solvents or other dangerous substances

#### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

## SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
AD R	-	-	-	-	-	-
IM DG	-	-	-	-	-	-
IAT A	-	-	-	-	-	-

\* Packing group

\*\* Environmental hazards

#### Additional information

Not dangerous goods according to ADR, IATA and IMDG.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Maritime transport in bulk according to IMO instruments

No data available.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Restrictions for application

No special.

#### Demands for specific education

No specific requirements.

#### SEVESO - Categories / dangerous substances

Not applicable.

#### REACH, Annex XVII

1-Methoxy-2-propanol is subject to REACH restrictions (entry 40).

#### Additional information

Not applicable.

#### Sources

Waste regulation (SFS 2020:614).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the

Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

## 15.2. Chemical safety assessment

No

### SECTION 16: Other information

#### Full text of H-phrases as mentioned in section 3

EUH066, Repeated exposure may cause skin dryness or cracking.

H226, Flammable liquid and vapour.

H304, May be fatal if swallowed and enters airways.

H336, May cause drowsiness or dizziness.

#### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

GWP = Global warming potential

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

#### Additional information

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

The safety data sheet is validated by

Arboritec

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: SE-en